

Beslutningsforslag nr. B 47. Fremsat den 18. november 1986 af Camre (S), Dorte Bennedsen (S), Ritt Bjerregaard (S), Hjortnæs (S), Erik Holst (S), Tove Lindbo Larsen (S), Henning Nielsen (S) og Løvig Simonsen (S)

Forslag til folketingsbeslutning om mærkning af kræftfremkaldende stoffer

Folketinget pålægger regeringen at fremsætte lovforslag om, at de ca. 208 stoffer, som Det internationale Kræftforskningsinstitut, IARC (WHO), oplyser er kræftfremkaldende, skal forsynes med en klar mærkning

herom umiddelbart efter indførsel eller produktion i Danmark. De stoffer, som allerede findes i Danmark, skal straks forsynes med den omhandlede mærkning.

Bemærkninger til forslaget

Beslutningsforslaget er en uændret genfremstættelse af et i folketingsåret 1985-86 fremsat forslag, se Folketingstidende 1985-86, forhandlingerne sp. 9958 og sp. 10716, samt tillæg A sp. 5563.

Det internationale Kræftforskningsinstitut, IARC, har fremlagt en fortægnelse over i alt ca. 208 stoffer, som kan have kræftfremkaldende virkninger på mennesker og dyr. Forslagsstillerne anbefaler derfor, at disse stoffer mærkes med oplysninger om deres kræftfarlighed.

Det drejer sig om 4 grupper af stoffer:

- 1) Stoffer, for hvilke der findes tilstrækkelige epidemiologiske beviser for en sammenhæng med human cancer, jf. liste I. Det drejer sig om 30 stoffer, hvoraf kun 7 er blevet mærket ved den nedenfor omtalte beslutning i EF den 6. november 1985.
- 2) Stoffer, for hvilke der foreligger tilstrækkelige beviser for cancerogen effekt i dyreforsøg, og om hvilke der findes begrænset epidemiologisk bevis for en sammenhæng med human cancer, jf. liste II. Det drejer sig om 14 stoffer, hvoraf kun 3 er blevet mærket ved beslutningen i EF den 6. november 1985.
- 3) Stoffer, for hvilke der findes tilstrækkelige dyreexperimentelle beviser for en cancerogen effekt, men kun utilstrækkelige epidemiologiske beviser for en sammenhæng med human cancer, jf. liste III. Det drejer sig om 49 stoffer, hvoraf kun 4 er blvet mærket ved beslutningen i EF den 6. november 1985.
- 4) Stoffer, for hvilke der foreligger tilstrækkeligt bevis for cancerogen effekt i dyreforsøg, jf. liste V. Det drejer sig om 115 stoffer, hvoraf kun 6 er blevet mærket ved beslutningen i EF den 6. november 1985.

Den særlige advarselssætning »kan fremkalde kræft« blev indført ved EF-Kommissionens tilpasningsdirektiv 83/467 EØF om tilnærmelse af lovgivning om klassificering, emballering og etikettering af farlige stoffer.

I overensstemmelse hermed blev de første 22 stoffer og stofgrupper mærket med advarselssætningen »kan fremkalde kræft«, da man den 6. november 1985 vedtog 7. direktiv om tilpasning til den tekniske udvikling af 67-direktivet (67-548 EØF). Dette helt nye direktiv tillader kun mærkning af 22 stoffer og stofgrupper af de ca. 208 foran nævnte stoffer, nemlig 7 fra liste I, (egentlig 9 stoffer, da »Chromium and certain chromium compounds« nævnt på liste I omfatter stofferne zinkkromat, kalciumkromat og strontiumkromat), 3 fra liste II, 4 fra liste III og 6 fra liste V.

Miljøstyrelsen havde oprindeligt foreslået at lade 32 stoffer og stofgrupper mærke med sætningen »kan fremkalde kræft«.

Under forhandlingerne i EF blev de oprindelige 32 stoffer og stofgrupper af praktiske grunde omkategoriseret således, at Miljøstyrelsens oprindelige forslag efter det således anvendte optællingsprincip kom til at angå 41 stoffer og stofgrupper.

Når Den Europæiske Fælles Akt er ratificeret, er enkelte landene ikke mere bundet til sådanne maksimum-direktiver, jf. artikel 100 A.

En mærkning af de 208 stoffer kan ikke foretages på én og samme måde. Stofferne kræftfremkaldende virkninger forekommer under forskellige omstændigheder, og der findes forskellige forholdsregler for omgangen med stofferne, hvorfra de kræftfremkaldende virkninger kan forebygges eller reduceres.

Der må derfor udarbejdes detaljerede mærningsbestemmelser, som oplyser, under hvilke omstændigheder stofferne er kræftfremkaldende, og hvilke forebyggende foranstaltninger der skal træffes ved omgang med stofferne. Mærkningen må imidlertid samtidig indeholde en tydelig fælles markering, som ved annoncering og undervisning indarbejdes som et faresymbol på linje med advarserne mod radioaktiv stråling. Dette vil forøge mærkningens værdi især for børn og gæstebejdere, som ikke fuldt behersker det danske sprog.

Liste I

Chemicals, groups of chemicals, industrial processes or exposures to complex mixtures for which there is sufficient evidence of carcinogenicity to humans (Group 1 in Supplement 4).

| Exposure | Monographs | | | Suppl. 4 Page no. | Degree of evidence | |
|--|-------------|-------------|------|----------------------------|-----------------------|--------|
| | Vol. no. | Page no. | Year | | Human | Animal |
| 4-aminobiphenyl | 1 | 74 | 1972 | 37 | S | S |
| Analgesic mixtures containing phenacetin | 24 | 135 | 1980 | 47 | S | L |
| Arsenic and certain arsenic compounds | 23 | 39 | 1980 | 50 | S | I |
| Asbestos | 14 | | 1977 | 52 | S | S |
| Azathioprine | 26 | 47 | 1981 | 55 | S | L |
| Benzene | 29 | 93 | 1982 | 56 | S | L |
| Benzidine | 29 | 149 | 1982 | 57 | S | S |
| Betel quid containing tobacco (chewing) | 37 in press | | 1985 | - | S | L |
| N,N'-bis(2-chlorethyl)-2-naphthylamine (chlor-naphazine) | 4 | 119 | 1974 | 62 | S | L |
| Bis(chloremethyl)ether and technical-grade chloromethyl methyl ether | 4 | 231 | 1974 | 64 | S | S |
| 1,4-Butanediol dimethylsulphonate (myleran) | 4 | 247 | 1974 | 68 | S | L |
| Chemotherapy for lymphomas (including MOPP, procarbazine, nitrogen mustard, vin-cristine and prednisone) | 26 | 311 | 1981 | 75 | S | ND |
| Chlorambucil | 26 | 115 | 1981 | 77 | S | S |
| Chromium and certain chromium compounds .. | 23 | 205 | 1980 | 91 | S | S |
| Coal tars | 35 | 83 | 1985 | - | S | S |
| Coal-tar pitches | 35 | 83 | 1985 | - | S | S |
| Conjugated oestrogens | 21 | 147 | 1979 | 179 | S | I |
| Cyclophosphamide | 26 | 165 | 1981 | 99 | S | S |
| Diethylstilboestrol | 21 | 173 | 1979 | 184 | S | S |
| Melphalan | 9 | 167 | 1975 | 154 | S | S |
| Methoxsalen with U/V/A therapy (PUVA) ... | 24 | 101 | 1980 | 158 | S | S |
| Mineral oils (certain) | 33 | 87 | 1984 | - | S | S |
| Mustard gas | 9 | 181 | 1975 | 163 | S | L |
| 2-Naphthylamine | 4 | 97 | 1974 | 166 | S | S |
| Shale oils | 35 | 161 | 1985 | - | S | S |
| Smokeless tobacco products (oral use) | 37 in press | | 1985 | - | S | I |
| Soots and soot extracts | 35 | 219 | 1985 | - | S | S |
| Tobacco smoke | 38 in press | | 1985 | - | S | S |
| Treosulphan | 26 | 341 | 1981 | 246 | S | ND |
| Vinyl chloride | 19 | 377 | 1979 | 260 | S | S |
| Industrial processes and occupational exposures | | | | | | |
| Auramine manufacture | 1 | 69 | 1972 | 53 | S | |

| | | | | | |
|--|----|-----|------|-----|---|
| Boot and shoe manufacture and repair (certain exposures) | 25 | 249 | 1980 | 138 | S |
| Coal gasification (older processes) | 34 | 65 | 1984 | - | S |
| Coke production | 34 | 101 | 1984 | - | S |
| Furniture manufacture (wood dust) | 25 | 99 | 1980 | 140 | S |
| Isopropyl alcohol manufacture (strong-acid process) | 15 | 223 | 1977 | 151 | S |
| Nickel refining | 11 | 75 | 1976 | 167 | S |
| Rubber industry (certain occupations) | 28 | | 1982 | 144 | S |
| Underground haematite mining (with exposures to radon) | 1 | 29 | 1972 | 254 | S |

S: sufficient, L: limited, I: inadequate, ND: no data.

Liste II

Chemicals, groups of chemicals, complex mixtures and industrial processes which are probably carcinogenic to humans
(higher degree of probability: Group 2A in Supplement 4).

| Exposure | Monographs | | | Suppl. 4 Page no. | Degree of evidence | |
|--|-------------|-------------|------|----------------------------|-----------------------|--------|
| | Vol. no. | Page no. | Year | | Human | Animal |
| Acrylonitrile | 19 | 73 | 1979 | 25 | L | S |
| Aflatoxins | 10 | 51 | 1976 | 31 | L | S |
| Benzo[a]pyrene | 32 | 211 | 1983 | 227 | I | S |
| Beryllium and certain beryllium compounds ... | 23 | 143 | 1980 | 60 | L | S |
| Combined oral contraceptives | 21 | 103 | 1979 | 173 | L | I |
| Creosoles | 35 | 83 | 1985 | - | L | S |
| Diethyl sulphate | 4 | 277 | 1974 | 115 | L | S |
| Dimethyl sulphate | 4 | 271 | 1974 | 119 | I | S |
| Nickel and certain nickel compounds | 11 | 75 | 1976 | 167 | L | S |
| Nitrogen mustard | 9 | 193 | 1975 | 170 | I | S |
| Oxymetholone | 13 | 131 | 1977 | 203 | L | ND |
| Phenacetin | 24 | 135 | 1980 | 47 | L | S |
| Procabazine | 26 | 311 | 1981 | 220 | I | S |
| <i>ortho</i> -Toluidine | 27 | 155 | 1982 | 245 | I | S |
| Industrial processes and occupational exposures | | | | | | |
| Aluminium production (certain exposures) | 34 | 37 | 1984 | - | L | ND |
| Iron and steel founding (certain exposures) | 34 | 133 | 1984 | - | L | ND |
| Manufacture of magenta | 4 | 57 | 1974 | 152 | L | ND |

S: sufficient, L: limited, I: inadequate, ND: no data.

Liste III

Chemicals, groups of chemicals, complex mixtures and industrial processes probably carcinogenic to humans (lower degree of probability: Group 2B in Supplement 4).

| Exposure | Monographs | | | Suppl. 4 Page no. | Degree of evidence | |
|--|-------------|-------------|------|----------------------------|-----------------------|--------|
| | Vol. no. | Page no. | Year | | Hum- an | Animal |
| Acetaldehyde | 36 | | 1985 | — | I | S |
| Actinomycin D | 10 | 29 | 1976 | 27 | I | L |
| Adriamycin | 10 | 43 | 1976 | 29 | I | S |
| AF-2 | 31 | 47 | 1983 | — | I | S |
| Amitrole | 7 | 31 | 1974 | 38 | I | S |
| Auramine (technical grade) | 1 | 69 | 1972 | 53 | L | L |
| Benzotrichloride | 29 | 73 | 1982 | 84 | I | S |
| Bischloroethyl nitrosourea (BCNU) | 26 | 79 | 1981 | 63 | I | S |
| Bitumens | 35 | 39 | 1985 | — | I | S |
| Cadmium and cadmium compounds | 11 | 39 | 1976 | 71 | L | S |
| Carbon tetrachloride | 20 | 371 | 1979 | 74 | I | S |
| Chloramphenicol | 10 | 85 | 1976 | 79 | L | I |
| 1-(2-Chloroethyl)-3-cyclohexyl-1-nitrosourea (CCNU) | 26 | 137 | 1981 | 83 | I | S |
| Chloroform | 20 | 401 | 1979 | 87 | I | S |
| Cisplatin | 26 | 151 | 1981 | 93 | I | L |
| Dacarbazine | 26 | 203 | 1981 | 103 | I | S |
| DDT | 5 | 83 | 1974 | 105 | I | S |
| 3,3'-dichlorobenzidine | 29 | 239 | 1982 | 110 | I | S |
| Dienoestrol | 21 | 161 | 1979 | 183 | L | I |
| 3,3'-Dimethoxybenzidine (<i>ortho</i> -Dianisidine) .. | 4 | 41 | 1974 | 116 | I | S |
| Dimethylcarbamyl chloride | 12 | 77 | 1976 | 118 | I | S |
| 1,4-Dioxane | 11 | 247 | 1976 | 121 | I | S |
| Direct Black 38 (technical grade) | 29 | 295 | 1982 | 59 | I | S |
| Direct Blue 6 (technical grade) | 29 | 311 | 1982 | 59 | I | S |
| Direct Brown 95 (technical grade) | 29 | 321 | 1982 | 59 | I | L |
| Epichlorohydrin | 11 | 131 | 1976 | 122 | I | S |
| Ethyloestradiol | 21 | 233 | 1979 | 186 | ND | S |
| Ethylene dibromide | 15 | 195 | 1977 | 124 | I | S |
| Ethylene oxide | 36 | 189 | 1985 | — | I | S |
| Ethylene Thiourea | 7 | 45 | 1974 | 128 | I | S |
| Formaldehyde gas | 29 | 345 | 1982 | 131 | I | S |
| Hydrazine | 4 | 127 | 1974 | 136 | I | S |
| Mestranol | 21 | 257 | 1979 | 188 | ND | S |
| Metronidazole | 13 | 113 | 1977 | 160 | I | S |
| Norethisterone and its acetate | 21 | 441 | 1979 | 199 | ND | S |
| Oestradiol-17 β | 21 | 279 | 1979 | 190 | ND | S |
| Oestrone | 21 | 343 | 1979 | 191 | ND | S |
| Phenazopyridine hydrochloride | 24 | 163 | 1980 | 207 | I | S |
| Phentytoin | 13 | 201 | 1977 | 215 | L | L |
| Polychlorinated biphenyls | 18 | 43 | 1978 | 217 | I | S |
| Progesterone | 21 | 491 | 1979 | 202 | ND | S |
| Propylene oxide | 36 | 227 | 1985 | — | I | S |
| Propylthiouracil | 7 | 67 | 1974 | 22 | I | S |

Bilag til f.t. beslutn. vedr. kræftfremkaldende stoffer

| | | | | | | |
|---|----|-----|------|-----|---|----|
| Sequential oral contraceptives | 21 | 111 | 1979 | 177 | L | ND |
| Tetrachlorodibenzo- <i>para</i> -dioxin (TCDD) | 15 | 41 | 1977 | 238 | I | S |
| 2,4,6-Trichlorophenol | 20 | 349 | 1979 | 249 | I | S |
| Tris(1-aziridinyl)- <i>para</i> -benzoquinone (Triaziquone) | 9 | 67 | 1975 | 251 | I | L |
| Tris(1-aziridinyl)phosphine (Thiotepa) | 9 | 85 | 1975 | 252 | I | S |
| Uracil mustard | 9 | 235 | 1975 | 256 | I | S |
| Industrial processes and occupational exposures | | | | | | |
| Chlorophenols (occupational exposure to) | - | - | - | 88 | L | ND |
| Phenoxyacetic acid herbicides (occupational exposure to) | - | - | - | 211 | L | ND |

S: sufficient, L: limited, I: inadequate, ND: no data.

Liste IV

Chemicals, groups of chemicals, industrial processes not classifiable as to their carcinogenicity to humans (Group 3 in Supplement 4).

| Exposure | Monographs | | | Suppl. 4 Page no. | Degree of evidence | |
|---|-------------|-------------|------|----------------------------|-----------------------|--------|
| | Vol. no. | Page no. | Year | | Human | Animal |
| Chemicals | | | | | | |
| Acrolein | 36 | 133 | 1985 | - | I | I |
| Aldrin | 5 | 25 | 1974 | 35 | I | L |
| Anaesthetics, volatile | 11 | 285 | 1976 | 41 | I | I |
| Aniline | 27 | 39 | 1982 | 49 | I | L |
| Bleomycins | 26 | 97 | 1981 | 66 | I | I |
| Chlordane/heptachlor | 20 | 45 | 1979 | 80, 129 | I | L |
| Carbon blacks | 32 | 239 | 1983 | - | I | I |
| Chloroprene | 19 | 131 | 1979 | 89 | I | I |
| Cholesterol | 31 | 95 | 1983 | - | I | I |
| Clofibrate | 24 | 39 | 1980 | 95 | I | L |
| Clomiphene | 21 | 551 | 1979 | 96 | I | I |
| Cyclamates | 22 | 55 | 1980 | - | I | L |
| 2,4-D and esters | 15 | 111 | 1977 | 101, 211 | I | I |
| Dapsone | 24 | 59 | 1980 | 104 | I | L |
| <i>ortho</i> -dichlorobenzene and <i>para</i> -dichlorobenzene | 29 | 213, 215 | 1982 | 108 | I | I |
| Dichloromethane | 20 | 449 | 1979 | 111 | I | I |
| Dieldrin | 5 | 125 | 1974 | 112 | I | L |
| 5-Fluorouracil | 26 | 217 | 1981 | 130 | I | I |
| Haematite | 1 | 29 | 1972 | 254 | I | I |
| Hexachlorocyclohexane | 20 | 195 | 1979 | 133 | I | L |
| Hydralazine | 24 | 85 | 1980 | 135 | I | L |
| Iron dextran complex | 2 | 161 | 1973 | 145 | I | S |

| | | | | | | |
|--|----|-----|------|---------------------|---|----|
| Isonicotinic acid hydrazide | 4 | 159 | 1974 | 146 | I | L |
| Isopropyl oils | 15 | 223 | 1977 | 151 | I | I |
| Lead and certain lead compounds | 23 | 39 | 1980 | 149, 205, 325 | I | S |
| Magenta (technical grade) | 4 | 57 | 1974 | 152 | I | I |
| MCPA | 30 | 255 | 1983 | 211 | I | I |
| 6-Mercaptopurine | 26 | 249 | 1981 | 155 | I | I |
| Methotrexate | 26 | 267 | 1981 | 157 | I | I |
| 1-Naphthylamine | 4 | 87 | 1974 | 164 | I | I |
| 1-Naphthylthiourea | 30 | 347 | 1983 | - | I | I |
| Ochratoxin A | 31 | 191 | 1983 | - | I | I |
| Oestrogen-progestin combinations for menopausal symptoms | - | - | - | 178 | I | ND |
| Progestins: | | | | | | |
| Chlormadinone acetate | 21 | 365 | 1979 | 192 | I | L |
| Dimethylsterone | 21 | 377 | 1979 | 193 | I | I |
| Ethyndiol diacetate | 21 | 387 | 1979 | 194 | I | L |
| 17 α -Hydroxyprogesterone caproate | 21 | 399 | 1979 | 195 | I | I |
| Lynoestrol | 21 | 407 | 1979 | 195 | I | I |
| Medroxyprogesterone acetate | 21 | 417 | 1979 | 196 | I | I |
| Megestrol acetate | 21 | 431 | 1979 | 198 | I | L |
| Norethynodrel | 21 | 461 | 1979 | 201 | I | L |
| Norgestrel | 21 | 479 | 1979 | 202 | I | I |
| Pentachlorophenol | 20 | 303 | 1979 | 88, 205 | I | I |
| Phenelzine | 24 | 175 | 1980 | 207 | I | L |
| Phenobarbital | 13 | 157 | 1977 | 208 | I | L |
| Phenylbutazone | 13 | 183 | 1977 | 212 | I | ND |
| N-phenyl-2-Naphthylamine | 16 | 325 | 1978 | 213 | I | I |
| Prednisone | 26 | 293 | 1981 | 219 | I | I |
| Reserpine | 24 | 211 | 1980 | 222 | I | L |
| Saccharin | 22 | 111 | 1980 | 224 | I | L |
| Spironolactone | 24 | 259 | 1980 | 229 | I | L |
| Styrene | 19 | 231 | 1979 | 229 | I | L |
| Sulfafurazole | 24 | 275 | 1980 | 233 | I | I |
| Sulfamethoxazole | 24 | 285 | 1980 | 234 | I | L |
| 2,4,5-T and esters | 15 | 273 | 1977 | 211, 235 | I | I |
| Tetrachloroethylene | 20 | 491 | 1979 | 243 | I | L |
| Trichloroethylene | 20 | 545 | 1979 | 247 | I | L |
| 2,4,5-Trichlorophenol | 20 | 349 | 1979 | 88, 249 | I | I |
| Vinblastine | 26 | 349 | 1981 | 257 | I | I |
| Vincristine | 26 | 365 | 1981 | 259 | I | I |
| Vinylidene chloride | 19 | 439 | 1979 | 262 | I | L |
| Industries | | | | | | |
| Carpenter and joinery (certain exposures) | 25 | 139 | 1980 | 139 | I | - |
| Chlorinated toluenes, production of: | | | | | | |
| Benzal chloride | 29 | 65 | 1982 | 84 | | L |
| Benzoyl chloride | 29 | 83 | 1983 | 84 | | I |
| Benzyl chloride | 29 | 49 | 1982 | 84 | | L |
| Leather goods manufacture | 25 | 279 | 1980 | 142 | I | - |

| | | | | | | |
|-----------------------------------|----|-----|------|-----|---|---|
| Leather tanning | 25 | 201 | 1980 | 142 | I | - |
| Lumber and sawmill industry | 25 | 49 | 1980 | 143 | I | - |
| Pulp and papermanufacture | 25 | 157 | 1980 | 144 | I | - |

S: sufficient, L: limited, I: inadequate, ND: no data.

Liste V

Chemicals or complex mixtures for which there is sufficient evidence of carcinogeneity in animals but for which no data on humans are available.

| Exposure | Monographs | | | Degree of evidence | |
|---|-------------|-------------|------|--------------------|--------|
| | Vol. no. | Page no. | Year | Human | Animal |
| ortho-Aminoazotoluene | 8 | 61 | 1975 | ND | S |
| 2-Amino-5-(5-nitro-2-furyl-1,3,4-thiadiazole) | 7 | 143 | 1974 | ND | S |
| ortho-Anisidine hydrochloride | 27 | 63 | 1982 | ND | S |
| Aramite | 5 | 39 | 1974 | ND | S |
| Azaerine | 10 | 73 | 1976 | ND | S |
| Benz[<i>a</i>]anthracene | 32 | 135 | 1983 | ND | S |
| Benzo[<i>b</i>]fluoranthene | 32 | 147 | 1983 | ND | S |
| Benzo[<i>j</i>]fluoranthene | 32 | 155 | 1983 | ND | S |
| Benzo[<i>k</i>]fluoranthene | 32 | 163 | 1983 | ND | S |
| Benzyl violet 4B | 16 | 153 | 1978 | ND | S |
| β-Butyrolactone | 11 | 225 | 1976 | ND | S |
| Carrageenan, degraded | 31 | 79 | 1983 | ND | S |
| Chlordecone (Kepone) | 20 | 67 | 1979 | ND | S |
| 4-Chloro- <i>ortho</i> -phenylenediamine | 27 | 81 | 1982 | ND | S |
| <i>para</i> -Chloro- <i>ortho</i> -toluidine | 30 | 61 | 1983 | ND | S |
| Citrus Red No. 2 | 8 | 101 | 1975 | ND | S |
| <i>para</i> -Cresidine | 27 | 92 | 1982 | ND | S |
| Cycasin | 10 | 121 | 1976 | ND | S |
| Daunomycin | 10 | 145 | 1976 | ND | S |
| N,N'-Diacetylbenzidine | 16 | 293 | 1978 | ND | S |
| 2,4-Diaminoanisole sulphate | 27 | 103 | 1982 | ND | S |
| 4,4'-Diaminodiphenyl ether | 29 | 203 | 1982 | ND | S |
| 2,4-Diaminotoluene | 16 | 83 | 1978 | ND | S |
| Dibenz[<i>a,h</i>]acridine | 32 | 277 | 1983 | ND | S |
| Dibenz[<i>a,j</i>]acridine | 32 | 283 | 1983 | ND | S |
| Dibenz[<i>a,h</i>]anthracene | 32 | 289 | 1983 | ND | S |
| Dibenz[<i>c,g</i>]carbazole | 32 | 315 | 1983 | ND | S |
| Dibenz[<i>a,e</i>]pyrene | 32 | 327 | 1983 | ND | S |
| Dibenz[<i>a,h</i>]pyrene | 32 | 331 | 1983 | ND | S |
| Dibenz[<i>a,i</i>]pyrene | 32 | 337 | 1983 | ND | S |
| Dibenz[<i>a,l</i>]pyrene | 32 | 343 | 1983 | ND | S |
| 1,2-Dibromo-3-chloropropane | 20 | 83 | 1979 | ND | S |
| 3,3'-Dichloro-4,4'-Diaminodiphenyl ether | 16 | 309 | 1978 | ND | S |
| 2,2-Dichloroethane | 20 | 429 | 1979 | ND | S |
| Diepoxybutane | 11 | 115 | 1976 | ND | S |
| Di(2-ethylhexyl)phthalate | 29 | 269 | 1982 | ND | S |

| | | | | | |
|--|----|----------|------|----|---|
| 1,2-Diethylhydrazine | 4 | 153 | 1974 | ND | S |
| Diglycidyl resorcinol ether | 36 | 181 | 1985 | ND | S |
| Dihydrosafrole | 10 | 231 | 1976 | ND | S |
| <i>para</i> -Dimethylaminoazobenzene | 8 | 125 | 1975 | ND | S |
| <i>trans</i> -2[(Demethylamino)-methylimino]-5-[2-(nitro-2-furyl)vinyl]-1,3,4-oxadiazole | 7 | 147 | 1974 | ND | S |
| 3,3-Dimethylbenzidine (<i>ortho</i> -Tolidine) | 1 | 87 | 1972 | ND | S |
| 1,1-Dimethylhydrazine | 4 | 137 | 1974 | ND | S |
| 1,2-Dimethylhydrazine | 4 | 145 | 1974 | ND | S |
| Ethyl methane sulphonate | 7 | 245 | 1974 | ND | S |
| 2-(2-Formuylthiadino)-4-(5-nitro-2-furyl)-thiazole | 7 | 151 | 1974 | ND | S |
| Glycidaldehyde | 11 | 175 | 1976 | ND | S |
| Gyromytrin | 31 | 163 | 1983 | ND | S |
| hexachlorobenzene | 20 | 155 | 1979 | ND | S |
| Hexamethylphosphoramide | 15 | 211 | 1977 | ND | S |
| Indeno[1,2,3- <i>cd</i>]pyrene | 32 | 373 | 1983 | ND | S |
| Lasiocarpine | 10 | 281 | 1976 | ND | S |
| Merphalan | 9 | 169 | 1975 | ND | S |
| 2-Methylaziridine | 9 | 61 | 1975 | ND | S |
| Methylazoxymethanol and its acetate | 10 | 131 | 1976 | ND | S |
| 5-Methylchrysene | 32 | 379 | 1983 | ND | S |
| 4,4'-Methylene bis(2-chloroaniline) | 4 | 65 | 1974 | ND | S |
| 4,4'-Methylene bis(2-methylaniline) | 4 | 73 | 1974 | ND | S |
| Methyl iodide | 15 | 245 | 1977 | ND | S |
| Methyl methane sulphonate | 7 | 253 | 1974 | ND | S |
| N-Methylnitrosaminopropionitrile | 37 | in press | 1985 | ND | S |
| 2-Methyl-1-nitroanthraquinone (of uncertain purity) | 27 | 205 | 1982 | ND | S |
| N-Methyl-N'-nitro-N-nitrosoguanidine | 4 | 183 | 1974 | ND | S |
| 4-N-Methyl-N-nitrosamino-1-(3-pyridyl-1-butanone) | 37 | in press | 1985 | ND | S |
| Methylthiouracil | 7 | 53 | 1974 | ND | S |
| Mirex | 20 | 283 | 1979 | ND | S |
| Mitomycin C | 10 | 171 | 1976 | ND | S |
| Monocrotaline | 10 | 291 | 1976 | ND | S |
| 5-(Morpholinomethyl-β-[(5-nitrofurylidene)amino]-2-oxazolidinone | 7 | 161 | 1974 | ND | S |
| Nafenopin | 24 | 125 | 1980 | ND | S |
| Niridazole | 13 | 123 | 1977 | ND | S |
| 5-Nitroacenaphthene | 16 | 319 | 1978 | ND | S |
| Nitrofen (technical grade) | 30 | 271 | 1983 | ND | S |
| 1-[(5-Nitrofurylidene)amino]-2-imidazolidinone | 7 | 181 | 1974 | ND | S |
| N-[4-(5-Nitro-2-furyl)-2-thiazolyl]acetamide | 7 | 185 | 1974 | ND | S |
| Nitrogen mustard N-oxide | 9 | 209 | 1975 | ND | S |
| 2-Nitropropane | 29 | 331 | 1982 | I | S |
| N-Nitrosodi-n-burylamine | 17 | 51 | 1978 | ND | S |
| N-Nitrosodiethanolamine | 17 | 77 | 1978 | ND | S |
| N-Nitrosodiethylamine | 17 | 83 | 1978 | ND | S |
| N-Nitrosodimethylamine | 17 | 125 | 1978 | ND | S |
| N-Nitrosodi-n-propylamine | 17 | 177 | 1978 | ND | S |
| N-Nitroso-N-ethylurea | 17 | 191 | 1978 | ND | S |
| N-Nitrosomethylethylamine | 17 | 221 | 1978 | ND | S |
| N-Nitroso-N'-methylurea | 17 | 227 | 1978 | ND | S |
| N-Nitroso-N-methylurethane | 4 | 211 | 1974 | ND | S |
| N-Nitrosomethylvinylamine | 17 | 257 | 1978 | ND | S |
| N-Nitrosomorpholine | 17 | 263 | 1978 | ND | S |

| | | | | | |
|--|----|-----|------|----|---|
| N'-Nitrosonornicotine | 17 | 281 | 1978 | ND | S |
| N-Nitrosopiperidine | 17 | 287 | 1978 | ND | S |
| N-Nitrosopyrrolidine | 17 | 313 | 1978 | ND | S |
| N-Nitrososarcosine | 17 | 327 | 1978 | ND | S |
| Oils orange SS | 8 | 165 | 1975 | ND | S |
| Panfurane S (dihydroxymethylfuratrizine) | 24 | 77 | 1980 | ND | S |
| Phenoxybenzamine and its hydrochloride | 24 | 185 | 1980 | ND | S |
| Ponceau MX | 8 | 189 | 1975 | ND | S |
| Ponceau 3R | 8 | 199 | 1975 | ND | S |
| 1,3-ropane sultone | 4 | 253 | 1974 | ND | S |
| β -Propiolactone | 4 | 259 | 1974 | ND | S |
| Safrole | 10 | 231 | 1976 | ND | S |
| Sterigmatocystin | 10 | 245 | 1976 | ND | S |
| Streptozotocin | 17 | 337 | 1978 | ND | S |
| Styrene oxide | 36 | 245 | 1985 | ND | S |
| Sulfallate | 30 | 283 | 1983 | ND | S |
| testosterone and its esters | 21 | 519 | 1979 | ND | S |
| Thioacetamide | 7 | 77 | 1974 | ND | S |
| 4,4'-Thiodianiline | 27 | 147 | 1982 | ND | S |
| Thiourea | 7 | 95 | 1974 | ND | S |
| Toxaphene (polychlorinated camphenes) | 20 | 327 | 1979 | ND | S |
| Tris(2,3-dibromopropyl)phosphate | 20 | 575 | 1979 | ND | S |
| TRP-P-1 | 31 | 247 | 1983 | ND | S |
| TRP-P-2 | 31 | 255 | 1983 | ND | S |
| Trypan blue (commercial grade) | 8 | 267 | 1975 | ND | S |
| Urethane | 7 | 111 | 1974 | ND | S |
| Zinc beryllium silicate | 23 | 143 | 1980 | ND | S |

S: sufficient, L: limited, I: inadequate, ND: no data.